

NEW

ROREC PRO Digital

Lightweight Recovery unit for the recovery of refrigerants of the classes A1, A2L and A2 (incl. R32), suitable for all unit sizes thanks to its high recovery rate

Future-proof product for the increased use of R32 refrigerants



+ Safe handling
with many refrigerants: Suitable for refrigerants of the classes A1, A2L and A2 (incl. R32)

+ Light
Compact design with a weight of less than 12 kg

+ Clearly structured & Easy to use
Digital display and one-knob control

NEWS

ROREC PRO Digital

NEW ROREC PRO Digital



ROREC PRO DIGITAL

Digital display

Clearly structured display of the measured pressure values

Low Pressure Switch

Automatic shut-off and automatic restart once the pressure increases again



Oil-free 2-piston compressor

Very high recovery rate with maintenance free operation



Practical Storage Compartment

Storage of accessories in the back

ROREC PRO Digital

Lightweight Recovery unit for the recovery of refrigerants of the classes A1, A2L and A2 (incl. R32), suitable for all unit sizes thanks to its high recovery rate.

- Suitable for refrigerants of the classes A1, A2L and A2 (incl. R32)
- Compact design with a weight of less than 12 kg
- Digital display and one-knob control
- Maintenance free operation with the oil-free 2-piston compressor
- 4-pole motor guarantees the durability of the machine
- Automatic shut-off and automatic restart once the pressure increases again
- Emptying of refrigerant residues with the PURGE function



Technical Data

Description	
Recovery Rate	gaseous: 0.5 kg/min; 30 kg/h liquid: 3.5 kg/min; 210 kg/h Push/Pull: 9.5 kg/min; 570 kg/h
Power supply	230 V / 50 – 60 Hz
Power	730 W
High Pressure Switch	38.5 bar
Product dimensions	38 x 25 x 35 cm
Weight	12 kg

Variants

Model	kg	No.
ROREC PRO Digital	12.0	1500002637



Clearly structured digital display



Practical storage compartment for accessories in the back




Shoulder strap for transport over longer distances

+ Further products

Pressure Hose 3-piece Set

1/4" and 5/16" SAE, 150 cm



No. 1500000028
No. 1500000030

ROCOOL 600

Set with 2 temperature sensors
For commissioning, maintenance
work and documentation of
refrigeration systems



No. 1000000570

Analogue Manifolds

2-way and 4-way
1/4" and 5/16" SAE



No. 170501
No. 170502
No. 1000001426
No. 1000001427

ROSCALE 120

Precise refrigerant scale for filling and
evacuation processes, max. weight
capacity of 120 kg



No. 173004

ROAIRVAC R32 6.0

Two-stage rotary vane pump for
evacuation in accordance with
DIN 8975



No. 1000001231

Filter

for ROREC/ROREC PRO Digital



No. 168713

Your ROTHENBERGER specialist retailer:

ROTHENBERGER Werkzeuge GmbH
Industriestraße 7
D-65779 Kelkheim

☎ + 49 (0) 6195 / 800 - 0
☎ + 49 (0) 6195 / 800 - 35 00
✉ info@rothenberger.com
🌐 rothenberger.com