























# **Merry Christmas From SRW**

Fancy bagging a **FREE** gift for yourself (or maybe someone else we wont tell) this Christmas?

Well its simple. Purchase any of the items on this leaflet and if you spend the qualifying amount then we will include your Free Christmas Gift.



**Spend £1500** 

Claim this FREE gift





Echo Show 8 (Latest model)

HD smart touchscreen with spatial audio, built in camera, smart home hub and Alexa

# **Spend £2500**



Claim this FREE gift



Nintendo Switch console

Enjoy the home console gaming experience at home or on the move





**Spend £4000** 

Claim this FREE gift





Powerful gaming technology packed inside a sleek and compact console design



Promotion conditions: To qualify for this offer just spend the qualifying value excluding vat on products listed on this leaflet in a single order for delivery between 01/12/24 and 22/12/24. The pictures shown are representative and the actual package / product / game bundle may vary. The free gifts shown are subject to availability and may be substituted with a gift of equivalent value if stock is not available. No cash equivalent will be offered.

Tel: **01273 455530** Email: **sales@srw.co.uk** Fax: 01273 455575

SRW Unit 4 Harbour Way Shoreham By Sea West Sussex BN43 5HG









#### Dixell Universal R

Advanced multi purpose universal control to replace almost any standard refrigeration control. Suitable for 1 or 2 probe applications.

103305	Universal-R controller	64.02	57.62
		1-4	5+



# Eliwell ID Range



A range of excellent value			
basic controllers			
Preprogrammed for quick and			
easy installation, they are ready			
to use straight out of the box.			

Supply:	230v	
Probes:	ntc	
IDCool:	3-15C	
IDChill/ Freeze:	-40 - 5C	
	4	

123705	IDChill / Freeze	31.93	28.74
123605	IDCool	23.93	21.54
			-



#### Easy Cool / Easy Freeze





Easy Cool - Off cycle defrost only comes with 1 probe Pre programmed with +3 C set point and off cycle defrost.

Easy Freeze - For all defrost modes comes with 2 probes. Pre programmed set point -18 °C and defrost by temperature.

		1-4	5+
139205	Easy Cool	40.31	33.46
139305	Easy Freeze	66.26	55.00



# **Diversitch Redbox** Tank Pumps



Fitted with metal mounting tabs for optional wall mounting. The universal power lead makes the pump easy to install, service

LED indicators highlight when the pump has power, is running and when the high level alarm has been activated.

	Head Flow	1-4	5+
188606 Redbox-1L-S 1 litre	5.1 m 280 l/h	45.43	40.89
188706 Redbox-2L-S 2 litre	5.1 m 280 l/h	45.43	40.89




# **Elco MultiFit Fan Motors**

ElcoMulti-Fit fan motors with a wide range of fitting options and packed in individual boxes to prevent wear & tear in the service van

194505	7W Multifit	15.41	13.87
156205	10W Multifit	15.30	13.77
194805	16W Multifit	23.42	21.08
156405	18W Multifit	19.36	17.42
156105	25W Multifit	22.08	19.87
156305	34W Multifit	23.34	21.01



# Copper Tube





# Insulation

Kaiflex ST Insulation

13mm wa	II	1-9	10+
128601	1/4 x 15m roll	15.45	10.82
128701	3/8 x 15m roll	16.20	11.34
128801	1/2 x 15m roll	16.53	11.57
128901	5/8 x 15m roll	16.81	11.77
129001	3/4 x 15m roll	18.96	13.27



#### Leak Sealant

SuperSeal leak sealant for Refrigeration and Air conditioning systems.

Effectively seals small leaks of up to 300 microns





	10.00	1-9	10+
6	SuperSeal 1 Advanced	51.38	48.8



151206	150 Kg Bracket 520 mm arms	26.89	21.51
151306	150 Kg Bracket 600 mm arms	28.76	23.01



	Colour / Size	Box Qty	Each*	
137806	White 80 x 60 x 2m	8	13.19	105.52
104906	White 90 x 65 x 2m	8	12.62	100.96
178306	Black 90 x 65 x 2m	8	12.61	100.88
105006	White 125 x 75 x 2m	6	18.59	111.54

Order box quantity only to qualify for Christmas offer \*after box quantity discount applied

#### ΙΝΔΒΔ DENKO



inaba	Colour / Size	Box Qty	Each*	per box
157206	Black 75mm 2m	5	19.56	97.80
169306	Black 100mm 2m	5	29.66	148.30
180306	Brown 75mm 2m	5	20.76	103.80
251606	White 75mm 2m	10	20.00	200.00
251506	White 75mm 2m	10	21.03	210.30

Order box quantity only to qualify for Christmas offer \*after box quantity discount applied





rder box quantity only to qualify for Christmas offer \*after box quantity discount applied


5

13.31

66.55



White CDW-75



Order box quantity only to qualify for Christmas offer \*after box quantity discount applied



#### 100% Rust Proof Brackets

New Improved 2 piece model

- 100% Rust Proof
- Capacity up to 90 Kg
- ✓ Light weight
- Easy to Carry Easy to fit
- Integral Spirit Level





Get a FREE **Nintendo Swtich** 

1-9

10+



**Get a FREE PS5 Playstation** 



Get a FREE **Echo Vison 8"** 









Imperial Quad Head Tube Bender 3/16", 1/4", 5/16", 3/8

Imperial 470 FH Quad size bender

64.50




✓ Resolution 0.01 hPa / 10 micron

Testo 552 digital vacuum gauge

testo 55x Smart Manifolds

174.00

# Imperial ® 370 Multi Bender Makes smooth, tight radius bends up to 180°in 1/4", 3/16", 3/8" and 1/2" tubing. Features cushion grips



Easy to deploy the lift can

be set up in minutes and the

telescopic support legs allow

for use on uneven surfaces.

✓ Max lifting height 3m ✓ Max load capacity 120 Kg

✓ Weight lift only 20 Kg ✓ Weight platform 5 Kg

Fully portable the lift folds

will easily fit in car boot.

**Refco Portable Lift** 



The latest testo 55x smart manifolds take digital manifolds to a new level of practicality, reliability and accuracy. With larger clearer graphic displays and the latest bluetooth technology for even greater wireless range.

- ✓ Compact robust housing with IP 54 protection class
- Next generation graphic display

evaporation temp

✓ Over pressure protection

- 90 Refrigerants stored new refrigerants can be added via the
- ✓ Bluetooth 5.0 for probe connection range up to 150m
- Wireless sensors for temperature and vacuum
- Even greater flexibility to store measurements and notes with the testo Smart App

220402	550s Basic Manifold Set - Cable temp probes	335.00
220502	550s Smart Manifold Set - Wireless temp Probes	385.75
220602	550s Smart Set - Wireless temp Probes & Hoses	409.31
220702	557s Smart Set Wireless Vacuum & Temp Probes	426.96
220802	testo 557s Vacuum Set Wireless Vacuum, Probes & Hoses	472.24



Digital charging scale with 120 kg capacity and a 5 gram resolution. Remote digital control pad and scales can be removed from case

RS12005 120Kg Digital scales 75107

130.90

# SRW ValvePro Control Valves

11401	valve i to control valve 1/4 flare	10.50
77507	Valve Pro Control valve 5/16 flare	16.50

SRW ValvePro Hose Sets





5207 2 way manifold set R/10 99.83	5107	2 way manifold set R22, 134, 404 & 407	99.83
5201 2 way marillold 3011410 53.03	5207	2 way manifold set R410	99.83



77107	2 way manifold set R22, 134, 404 & 407	67.50
84007	2 way manifold set R600	69.50



handles complete with 6 riveted heads for 3/8, 1/2, 5/8, 3/4,7/8 & 1 1/8 tube plus an inner / outer reamer.

Pro 100 Tube Expander Set

189.00



Get a FREE **Echo Vison 8"** 

1275.00

Super portable lift from Refco. Ideal for a multitude of site

165902 LFT-230 Portable hoist 240v

applications from lifting A/c units into place, positioning indoor units, duct work, evaporators etc.



Get a FREE **Nintendo Swtich** 

Spend £4000



Javac Tek-Mate





display

✓ Accuracy

√ 18 alarm levels.

3g per year

Detects all CFC's,

HCFC's, HFC's & R32

Tif XP-1 Leak Detector









- ✓ Accuracy 2g per year
- Detects all HFC, CFC, HCFC
- proven D-Tek sensor





Mastercool 55800



- ✓ Accuracy 0.5 g per year
- Meets and exceeds J2791 (R134a) and J2913 (R1234yf).
- √ 3 Sensitivity levels
- ✓ Multi colour display
- ✓ Detects all CFC's, HCFC's HFC's R32, R-1234yf
- ✓ 2000 hour sensor life



103002 Tif XP-1

179.36

Javac Tek Mate

218.00

182602 55800 Leak Detector

243.54



Accuracy

3g per year

Detects HFC,

Hydrocarbons.

R290 & R1234yf

✓ Fast response time

✓ Tri colour display

including

R32 .R600

# Leaktronic-5 Leak Detector









- Accuracy 1g per year
- Ultra high sensitivity to all standard refrigerants
- Compatible with optional CO2 sensor
- Longest sensor life in the industry





- Detects all HCFCs. HFCs. CFC. plus R600
- Accuracy < 4g per year EN14624
- Led leak strength indicator
- Automatic zeroing accuracy and of use



testo 316-3 Leak Detector

240902 Leaktronic-5

180.28

237902 Javac D-Tek 3

Javac Stratus

547.92

196502 testo 316-3 Leak Detector

Testo 316-4

184.28



#### Bosh CS LD 1.0 Leak Detector







- graphic LCD Accuracy <1g per year
- Detects CFC, HCFC,HFC, HFO compounds,
- HC refrigerants,
- ✓ Tracer Gas ✓ Ammonia,
- Butane
- Propane
- ✓ 5 year sensor life

















- Accuracy 1g per year
- Infrared sensor
- Detects all CFCs, HCFCs, HFCs, and HFOs
- 3 operating modes Cloud hunt, Pinpoint & Manual zero





R32 A2

- Accuracy <3g per year EN14624
- Ultra high sensitivity to all standard refrigerants
- Compatible with optional Ammonia NH3 sensor



238102 Bosch CS LD 1.0

415.78

211602 D-Tek Stratus

1112.44

**163102** testo 316-4

431.00

**Spend** £1500

Get a FREE **Echo Vison 8"** 



Get a FREE **Nintendo Swtich** 









# Rothenberger RoRec Recovery Unit



Dual 240/110v recovery machine from with 1/2 hp oil less compressor. Suitable for all commonly used CFC, HCFC & HFC refrigerants

**186202** Rothenberger RoRec 240 / 110 v **952.56** 



# Promax MiniMax Recovery Unit



The MiniMax features Promax's proven 96 bar oil-less compressor and is suitable for continuous recovery (liquid / vapour) of most common refrigerants including R410a and R32

110802	Promax Minimax 240v	749.26
116202	Promax Minimax 110v	749.26



testo 565i Intelligent Vacuum Pump



✓ Self-starting vacuum hold test

- Auto-stop function when target vacuum reached
- Links to testo smart manifolds and probes

257102	Testo 565i 7 cfm 240v	399.00
257202	Testo 565i 10 cfm 240v	549.00



# **Javac XTR-Pro Recovery Unit**



Spark proof Javac dual voltage recovery unit with X-connect voltage protection

204502 XTR-PRO-DV-A2L Recovery Machine 883.75

# Promax RG5410 Extreme 240v



Upgraded Promax compressor and large 3 row condenser make the Extreme the most powerful version of the RG5410 yet

**161202** RG 5410 Extreme Recovery unit 240v **865.09** 

# Rothenberger 9 cfm Vacuum Pump



- √ 9 cfm High Performance Pump
- ✓ Dual 110v / 240v
- Fitted solenoid non-return valve
- ✓ Built in vacuum gauge with lazy hand

184202 Rothenberger Roairvac 9cfm 240/110v

511.68



# Promax RG3000 Recovery Units



An incredibly compact machine measuring only 25cm high and 30cm long and weighing just 8kg. In fact it is not much larger than the standard vacuum pump. However it still packs a punch thanks to the tried and tested Promax oil-less compressor.

164502	RG3000 Recovery machine 240v	686.72
164602	RG3000 Recovery machine 110v	686.72



#### Mastercool Black Series Vacuum Pumps



252802	1.5 cfm Mastercool Black 90059	193.07
246402	2.5 cfm Mastercool Black 90063	287.37
246502	5 cfm Mastercool Black 90066	346.00
256302	7 cfm Mastercool Black 90068	381.88
256402	10 cfm Mastercool Black 90612	539.92



#### Robinair Vacuum Pumps



**31502** 5 cfm 15601 dual 110/230 voltage **557.18** 



Get a FREE Echo Vison 8"



Get a FREE Nintendo Swtich







# Fieldpiece SMAN 380v Wireless Digital Manifold



Fieldpiece 3 way Digital manifold with wireless temperature clamps and built in high accuracy vacuum gauge.

- ✓ Full superheat / subcool analysis
- √ Tightness Test Programme
- ✓ Integrates and provides remote display of SRS3 Digital scales
- ✓ Data logging with capacity for up to 7 days readings

209902 3 Port Wireless SMAN380V + clamps



#### Fieldpiece SMAN 380v Wireless Digital Manifold











Fieldpiece 4 way Digital manifold with wireless temperature clamps and built in high accuracy vacuum gauge.

- ✓ Full superheat / subcool analysis
- Tightness Test Programme
- ✓ Integrates and provides remote display of SRS3 Digital scales

Fieldpiece SR47

**Intelligent Digital Scales** 

✓ Data logging with capacity for up to 7 days readings

210002 4 Port Wireless SMAN480V + clamps

484.63

# 9 9 Wireles Berkips Scale

The SR47 scales can be used on their own. But when linked to the SM380V/SM4890V manifolds it provides live weight data direct to the manifold display. Additionally connects to Job Link Mobile System app.

242402 SR47 intelligent digital scales

# Fieldpiece MR45 **Digital Recovery Unit**



- Powerful 1Hp DC motor
- Backlit easy to read digital display
- Water resistant withstands direct rain ✓ R32 ready

209602	Fieldpiece MR45 230v	932.00
241202	Fieldpiece MR45 110v	975.00

# Fieldpiece. VP67

Fieldpiece RunQuick

Vacuum Pumps

- √ 4 input ports
- ✓ High Performance
- ✓ RunQuick™ oil change system

238902	6 cfm	110/230v	RunQuick VP67UK	434.00
238802	8 cfm	230v	RunQuick VP87UK230	579.00
238702	8 cfm	110v	RunQuick VP87UK	581.00
238602	10 cfm	230v	RunQuick VPX7UK230	819.00
238502	10 cfm	110v	RunQuick VPX7UK	819.00

Vacuum Gauge

Fieldpiece MG44 Digital

Fieldpiece

186.67



246602	HR3B 1/4 1.5m long set of 3	134.00
246702	HR3BC 5/16 1.5m long set of 3	134.00



34.00	✓	Thr
	✓	Sta
	/	Cor

This tough, new wireless vacuum gauge, MG44 is engineered to give you the reliable readings you need - and the ease of use you

- ree ways to use
- ınd alone with backlit digital display
- onnect to and monitor remotely with SMAN manifold 305m
- Connect to and monitor wirelessly via Job Llnk App
- Water Resistance: IP54

# 238402 MG44 wireless vacuum gauge

# Fieldpiece Valve Core Removal Tool



High end valve core removal tools for faster charging and recovery.

00
00





246902 HR3CM 72" 5/16 1.5m long set of 3



247002	3/8" x 3/8" 1.5m long	61.00
247102	1/4" x 3/8" 1.5m long	61.00

**Spend** £1500

integration with Fieldpiece manifolds

> Get a FREE **Echo Vison 8"**



Get a FREE **Nintendo Swtich** 

Spend £4000







Fieldpiece SC260 **Compact Clamp Meter** 



# Fieldpiece ST4 Thermometer



#### testo 760-1 Multimeter



Rugged twin input dual display digital

- Takes any K type probe
- √ 0.1 degree resolution
- ✓ Twin probe / twin display,
- ✓ Min / Max / Hold buttons,
- Differential and Relative readings,
- °C / °F switchable display,
- ✓ Range -58 °C to 2000 °C
- ✓ Supplied with 2 wire probes.



✓ Exclusive Auto Test Setup

- ✓ AC / DC Current 10A
- ✓ AC / DC Voltage 600v
- ✓ Resistance 0.1-40 M/ohms
- ✓ Capacitance to 100 µF



236202 SC260 Compact Clamp Meter

✓ Compact - fits in small spaces

236502 Fieldpiece ST4 Dual Thermometer

188902 Testo 760-1 Multimeter



# Fieldpiece SC480 Clamp Meter with Power Range



Fieldpiece SMG5 **Digital Megohmmeter** 




210102 SMG5 Digital Megohmmeter

Fieldpiece SIG1

Infra red thermometer

103.68

testo 750-1 Voltage Tester



- Fibre-optic technology for voltage indication
- ✓ Phase rotation check
- ✓ Ergonomic handle shape
- ✓ Measuring point illumination



188602 Testo 750-1 Voltage Tester

The testo 770 Clamp Meter has a unique retractable pincer mechanism for grabbing cables in tight spaces. and automatic measurement parameter

✓ AC/DC 1 mV to 600 V

✓ Resistance 0.1 Ω to 40 MΩ

✓ AC/DC 0.1 to 400 A

detection.

testo 760-1 Multimeter

of your electrical measurements. √ 300m wireless range and Job Link® connection 3 Phase rotation ✓ Ability to measure power in kW

236302 SC480 Wireless Clamp Meter

# Fieldpiece SC680 Wireless Clamp Mete



Advanced clamp meter with wireless connection to Job Link® System for electrical documentation

- ✓ Non contact voltage indicator
- ✓ Voltage AC 750v / 1000v
- ✓ AC/DC clamp
- ✓ AAC inrush for motor start
- Test 3-phase with two leads
- Power Meter for HVACR with Direct Integration with Job Link® System App

232002 SC680 Wireless Clamp Meter



252.00

SIG1 Infra red thermometer

- Temp Range
- ✓ Distance spot: 10:1
- ✓ Display °C / °F
- ✓ laser targeting system
- ✓ Last reading hold



- -30°C to +550 °C



64.70

189402 Testo 770-1 Clamp Meter

112.00

**Spend** £1500

Get a FREE **Echo Vison 8"**  Spend £2500

Get a FREE **Nintendo Swtich** 











# Clearance Items - Unmissable Prices When they're gone they're gone



IMPORTANT note re Clearance Items

All clearance items are new and unused but due to the substantial savings offered they are sold as ex demo with a 28 day warranty limited to the maximum of the amount paid and can only be returned if faulty



Get a FREE Echo Vison 8"

Spend £2500

Get a FREE Nintendo Swtich

Spend £4000